

Application Number 10/788,591  
Amendment dated February 2, 2005  
Responsive to Office Action mailed December 30, 2004

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listings of claims in the application.

**Listing of Claims:**

**Claim 1 (Currently amended):** A memory card comprising:  
a housing;  
a memory in the housing;  
a device connector on the housing, the device connector conforming to a device connection standard and allowing access to the memory by a device compatible with the device connection standard; and  
a host connector protruding from the housing, the host connector conforming to a host connection standard and allowing access to the memory upon insertion of the host connector into a computer interface compatible with the host connection standard, wherein the housing and the host connector protruding from the housing define memory card dimensions which substantially conform to dimensions of a ~~memory card standard~~ including a height of approximately 32 mm, and a width of approximately 24 mm.

**Claim 2 (Original):** The memory card of claim 1, wherein the device connection standard comprises one of a MultiMedia Card standard and a Secure Digital standard.

**Claim 3 (Original):** The memory card of claim 1, wherein the host connection standard comprises a Universal Serial Bus (USB) standard.

**Claim 4 (Original):** The memory card of claim 1, wherein the host connector comprises a shieldless tab.

**Claim 5 (Original):** The memory card of claim 1, further comprising a memory card control unit that accepts firmware updates via the host connector interface.

Application Number 10/788,591  
Amendment dated February 2, 2005  
Responsive to Office Action mailed December 30, 2004

**Claim 6 (Original):** The memory card of claim 5, wherein the memory is partitioned such that the firmware updates are stored in a first partitioned section of the memory and a data storage area is defined in a second section of the memory.

**Claim 7 (Original):** The memory card of claim 1, wherein a thickness of the memory card is one of approximately 1.4 mm and approximately 2.1 mm.

**Claim 8 (Original):** The memory card of claim 1, wherein the host connector protrudes from an edge of the memory card, wherein a thickness of the host connector is less than or equal to the thickness of the memory card.

**Claim 9 (Original):** The memory card of claim 1, further comprising a retractable sheath that can be positioned in a first position to cover the host connector and expose the device connector, and a second position to cover the device connector and expose the host connector.

**Claim 10 (Currently amended):** The memory card of claim 91, wherein the housing and the retractable sheath collectively define a form factor of the memory card that substantially conforms to a form factor of the memory card standard when the retractable sheath is positioned in the first position to cover the host connector.

Application Number 10/788,591  
Amendment dated February 2, 2005  
Responsive to Office Action mailed December 30, 2004

**Claim 11 (Original):** A memory card comprising:

a housing;

a memory device in the housing;

a device connector including one or more electrical contacts on the housing, the device connector conforming to a device connection standard and allowing access to the memory by a device compatible with the device connection standard;

a host connector protruding from the housing, the host connector conforming to a host connection standard and allowing access to the memory upon insertion of the host connector into a computer interface compatible with the host connection standard; and

a retractable sheath that can be positioned in a first position to cover the host connector and expose the device connector, and a second position to cover the device connector and expose the host connector.

**Claim 12 (Original):** The memory card of claim 11, wherein the host connection standard comprises one of a personal computer memory card international association (PCMCIA) standard, a PC Card standard, a CardBus standard, a Universal Serial Bus (USB) standard, a Universal Serial Bus 2 (USB2) standard, an IEEE 1394 FireWire standard, a Small Computer System Interface (SCSI) standard, an Advance Technology Attachment (ATA) standard, a serial ATA standard, a Peripheral Component Interconnect (PCI) standard, and a PCI Express standard.

**Claim 13 (Original):** The memory card of claim 11, wherein the host connection standard comprises a Universal Serial Bus (USB) standard, and the device connection standard comprises one of a MultiMedia Card standard, and a Secure Digital standard.

**Claim 14 (Currently amended):** The memory card of claim 11, wherein the host connector comprises a shieldless-tab.

**Claim 15 (Original):** The memory card of claim 11, wherein the host connector protrudes from an edge of the memory card, wherein a thickness of the host connector is less than or equal to the thickness of the memory card.

Application Number 10/788,591  
Amendment dated February 2, 2005  
Responsive to Office Action mailed December 30, 2004

**Claim 16 (Original):** The memory card of claim 11, further comprising a locking mechanism formed on either the retractable sheath or the housing to lock the retractable sheath into one of the first position and the second position.

**Claim 17 (Original):** The memory card of claim 11, further comprising a stopping mechanism formed on the retractable sheath to prevent removal of the retractable sheath beyond one of the first position and the second position.

**Claim 18 (Original):** The memory card of claim 11, wherein the retractable sheath comprises:  
a device connector opening defining a size that allows access to the device connector when the retractable sheath is in the first position; and  
a host connector opening defining a size that allows access to the host connector when the retractable sheath is in the second position.

**Claim 19 (Original):** The memory card of claim 11, wherein the device connection standard comprises one of a MultiMedia Card standard and a Secure Digital standard and the memory card defines a height of approximately 32 mm, and a width of approximately 24 mm.

**Claim 20 (Original):** The memory card of claim 11, wherein the housing and the retractable sheath collectively define a form factor of the memory card that substantially conforms to a form factor of the memory card standard when the retractable sheath is positioned in the first position to cover the host connector.